



**EVOTECH**<sup>®</sup>  
P E R F O R M A N C E

**Ducati Monster 797 / SuperSport / S**

**Tail Tidy**


**Installation Instructions**





**Product No: PRN013736**


## Kit Contents



- A** 1 x Main Bracket
- B** 1 x Number Plate Bracket
- C** 1 x P-Clip
- D** 2 x Indicator Plates
- E** 2 x Indicator Mounts
- F** 2 x Plastic Spacers
- G** 2 x M8 Penny Washers
- H** 2 x M8 Black Washers
- I** 2 x M5 x 20 Black Button Heads
- J** 2 x M5 x 10 CounterSunk Screw
- K** 4 x M8 x 30 Black Button Heads
- L** 4 x Indicator Clamps (Plastic)
- M** 5 x M4 x 8 Black Button Heads




































Repeat  
Both Sides




Repeat  
Both Sides





Repeat  
Both Sides







Repeat  
Both Sides












Loop cable ties through the tail tidy.  
Secure wires in position










OEM PART
















Loop cable ties through the  
tail tidy.  
Secure wires in position




Caution



M




M



LETRA TEST OK  
01/03/2019 14:22:35

2



Loop cable ties through the  
tail tidy.  
Secure wires in position



Caution



Run wires neatly down the channel in both parts ensuring they do not get trapped or squashed




K

H





K

H











 **ESSENTIAL CHECKS** 

After installation of your tail tidy ensure that the licence plate does not contact the rear tyre when suspension is fully compressed.

Ensure all electrics including indicators, tail light, brake light and licence plate light lights are working correctly before riding the motorcycle.

It is recommended that periodic inspections are made to ensure that all fixings are fully tightend.



**EVOTECH**®  
P E R F O R M A N C E

[www.evotech-performance.com](http://www.evotech-performance.com)